INDEX

Barbi, C., Favier, D. P., Maresca, C. A. & Telionis, D. P. Vortex shedding and lock-on of a circular cylinder in oscillatory flow, 527–544

Bernal, L. P. & Roshko, A. Streamwise vortex structure in plane mixing layers, 499–525

Blake, J. R., Taib, B. B. & Doherty, G. Transient cavities near boundaries. Part 1. Rigid boundary, 479–497

Carpenter, P. W. & Garrad, A. D. The hydrodynamic stability of flow over Kramer-type compliant surfaces. Part 2. Flow-induced surface instabilities, 199–232

Chapman, D. R. & Kuhn, G. D. The limiting behaviour of turbulence near a wall, 265–292

Chien, W.-L., Rising, H. & Ottino, J. M. Laminar mixing and chaotic mixing in several cavity flows, 355–377

Chryssostomidis, C. *See* Triantafyllou, Triantafyllou & Chryssostomidis

Dimotakis, P. E. *See* Koochesfahani & Dimotakis

Doherty, G. *See* Blake, Taib & Doherty

Durst, F., Schönung, B., Selanger, K. & Winter, M. Bubble-driven liquid flows, 53–82

Favier, D. P. *See* Barbi, Favier, Maresca & Telionis

Garrad, A. D. *See* Carpenter & Garrad

Girshick, S. L. & Kruger, C. H. Experimental study of secondary flow in a magnetohydrodynamic channel, 233–252

Hanratty, T. J. *See* Mao & Hanratty

Hill, M. G. & Riley, N. A hybrid method for transonic flow past multi-element aerofoils, 253–264

Houwing, A. F. P., McIntyre, T. J., Taloni, P. A. & Sandeman, R. J. On the population of the metastable states behind unstable shock waves in ionizing argon, 319–337

Howard, L. N. & Krishnamurti, R. Large-scale flow in turbulent convection: a mathematical model, 385–410

Hsu, E. Y. *See* Papadimitrakis, Hsu & Street

Hussain, A. K. M. F. *See* Stettler & Hussain

Hutter, K. *See* Stocker & Hutter

Koochesfahani, M. M. & Dimotakis, P. E. Mixing and chemical reactions in a turbulent liquid mixing layer, 83–112

Krishnamurti, R. *See* Howard & Krishnamurti

Kruger, C. H. *See* Girshick & Kruger

Kuhn, G. D. *See* Chapman & Kuhn

Mao, Z.-X. & Hanratty, T. J. Studies of the wall shear stress in a turbulent pulsating pipe flow, 545–564

Maresca, C. A. *See* Barbi, Favier, Maresca & Telionis

McIntyre, T. J. *See* Houwing, McIntyre, Taloni & Sandeman

Mee, D. J., Stalker, R. J. & Stollery, J. L. Glancing interactions between single and intersecting oblique shock waves and a turbulent boundary layer, 411–433

Ottino, J. M. *See* Chien, Rising & Ottino

INDEX

Barbi, C., Favier, D. P., Maresca, C. A. & Telionis, D. P. Vortex shedding and lock-on of a circular cylinder in oscillatory flow, 527–544

Bernal, L. P. & Roshko, A. Streamwise vortex structure in plane mixing layers, 499–525

Blake, J. R., Taib, B. B. & Doherty, G. Transient cavities near boundaries. Part 1. Rigid boundary, 479–497

Carpenter, P. W. & Garrad, A. D. The hydrodynamic stability of flow over Kramer-type compliant surfaces. Part 2. Flow-induced surface instabilities, 199–232

Chapman, D. R. & Kuhn, G. D. The limiting behaviour of turbulence near a wall, 265–292

Chien, W.-L., Rising, H. & Ottino, J. M. Laminar mixing and chaotic mixing in several cavity flows, 355–377

Chryssostomidis, C. *See* Triantafyllou, Triantafyllou & Chryssostomidis

Dimotakis, P. E. *See* Koochesfahani & Dimotakis

Doherty, G. *See* Blake, Taib & Doherty

Durst, F., Schönung, B., Selanger, K. & Winter, M. Bubble-driven liquid flows, 53–82

Favier, D. P. *See* Barbi, Favier, Maresca & Telionis

Garrad, A. D. *See* Carpenter & Garrad

Girshick, S. L. & Kruger, C. H. Experimental study of secondary flow in a magnetohydrodynamic channel, 233–252

Hanratty, T. J. *See* Mao & Hanratty

Hill, M. G. & Riley, N. A hybrid method for transonic flow past multi-element aerofoils, 253–264

Houwing, A. F. P., McIntyre, T. J., Taloni, P. A. & Sandeman, R. J. On the population of the metastable states behind unstable shock waves in ionizing argon, 319–337

Howard, L. N. & Krishnamurti, R. Large-scale flow in turbulent convection: a mathematical model, 385–410

Hsu, E. Y. *See* Papadimitrakis, Hsu & Street

Hussain, A. K. M. F. *See* Stettler & Hussain

Hutter, K. *See* Stocker & Hutter

Koochesfahani, M. M. & Dimotakis, P. E. Mixing and chemical reactions in a turbulent liquid mixing layer, 83–112

Krishnamurti, R. *See* Howard & Krishnamurti

Kruger, C. H. *See* Girshick & Kruger

Kuhn, G. D. *See* Chapman & Kuhn

Mao, Z.-X. & Hanratty, T. J. Studies of the wall shear stress in a turbulent pulsating pipe flow, 545–564

Maresca, C. A. *See* Barbi, Favier, Maresca & Telionis

McIntyre, T. J. *See* Houwing, McIntyre, Taloni & Sandeman

Mee, D. J., Stalker, R. J. & Stollery, J. L. Glancing interactions between single and intersecting oblique shock waves and a turbulent boundary layer, 411–433

Ottino, J. M. *See* Chien, Rising & Ottino

Papadimitrakis, Y. A., Hsu, E. Y. & Street, R. L. The role of wave-induced pressure fluctuations in the transfer processes across an air–water interface, 113–137

Pierrehumbert, R. T. Spatially amplifying modes of the Charney baroclinic-instability problem, 293–317

Rankin, G. W. *See* Swaminathan, Rankin & Sridhar

Riley, N. *See* Hill & Riley

Rising, H. *See* Chien, Rising & Ottino

Roshko, A. *See* Bernal & Roshko

Rubinstein, J. Effective equations for flow in random porous media with a large number of scales, 379–383

Russell, J. M. Amplitude propagation in slowly varying trains of shear-flow instability waves, 21–51

Sandeman, R. J. *See* Houwing, McIntyre, Taloni & Sandeman

Schönung, B. *See* Durst, Schönung, Selanger & Winter

Selanger, K. *See* Durst, Schönung, Selanger & Winter

Sommeria, J. Experimental study of the two-dimensional inverse energy cascade in a square box, 139–168

Sridhar, K. *See* Swaminathan, Rankin & Sridhar

Stalker, R. J. *See* Mee, Stalker & Stollery

Stettler, J. C. & Hussain, A. K. M. F. On transition of the pulsatile pipe flow, 169–197

Stocker, T. & Hutter, K. One-dimensional models for topographic Rossby waves in elongated basins on the f-plane, 435–459

Stollery, J. L. *See* Mee, Stalker & Stollery

Street, R. L. *See* Papadimitrakis, Hsu & Street

Swaminathan, M. K., Rankin, G. W. & Sridhar, K. Evaluation of the basic systems of equations for turbulence measurements using the Monte Carlo technique, 1–19

Taib, B. B. *See* Blake, Taib & Doherty

Taloni, P. A. *See* Houwing, McIntyre, Taloni & Sandeman

Tan, M. J. On the steady solutions of the problem of Rayleigh–Taylor instability, 339–353

Telionis, D. P. *See* Barbi, Favier, Maresca & Telionis

Triantafyllou, G. S., Triantafyllou, M. S. & Chryssostomidis, C. On the formation of vortex streets behind stationary cylinders, 461–477

Triantafyllou, M. S. *See* Triantafyllou, Triantafyllou & Chryssostomidis

Winter, M. *See* Durst, Schönung, Selanger & Winter

JOURNAL OF FLUID MECHANICS

VOLUME 170

SEPTEMBER 1986



CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1986

Printed in Great Britain by the University Press, Cambridge

COPYING

The *Journal* is registered with the Copyright Clearance Center, 21 Congress St., Salem, Mass. 01970. Organizations in the USA which are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of $05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0022-1120/86/4686-0001 $05.00.

ISI Tear Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, USA is authorized to supply single copies of separate articles for private use only.

For all other use of material from the *Journal* permission should be sought from Cambridge or the American Branch of Cambridge University Press.

SUBSCRIPTIONS

The JOURNAL OF FLUID MECHANICS (ISSN 0022-1120) is published by the Cambridge University Press in 12 volumes each year. All orders must be accompanied by payment. Single volumes cost £29 net (US $66 in the USA and Canada) plus postage. The subscription price (which includes postage) to volumes 162–173, 1986, is £334 (US $760 in the USA and Canada) for institutions; £167 (US $380) for individuals. Copies of the journal for subscribers in the USA and Canada are sent by air to New York. Second class postage is paid at New York, NY, and at additional mailing offices. Claims for missing issues will be considered only if made immediately upon receipt of the subsequent issue. Copies of back numbers are available from Cambridge University Press. POSTMASTER: send address changes in USA and Canada to *Journal of Fluid Mechanics*, Cambridge University Press, 32 East 57th Street, New York, NY 10022.

Volume 170 September 1986

CONTENTS

Evaluation of the basic systems of equations for turbulence measurements using the Monte Carlo technique. M. K. Swaminathan, G. W. Rankin and K. Sridhar *page* 1

Amplitude propagation in slowly varying trains of shear-flow instability waves. J. M. Russell 21

Bubble-driven liquid flows. F. Durst, B. Schönung, K. Selanger and M. Winter 53

Mixing and chemical reactions in a turbulent liquid mixing layer. M. M. Koochesfahani and P. E. Dimotakis 83

The role of wave-induced pressure fluctuations in the transfer processes across an air–water interface. Yiannis Alex Papadimitrakis, En Yun Hsu and Robert L. Street 113

Experimental study of the two-dimensional inverse energy cascade in a square box. J. Sommeria 139

On transition of the pulsatile pipe flow. J. C. Stettler and A. K. M. Fazle Hussain 169

The hydrodynamic stability of flow over Kramer-type compliant surfaces. Part 2. Flow-induced surface instabilities. P. W. Carpenter and A. D. Garrad 199

Experimental study of secondary flow in a magnetohydrodynamic channel. S. L. Gipshick and C. H. Kruger 233

A hybrid method for transonic flow past multi-element aerofoils. M. G. Hill and N. Riley 253

The limiting behaviour of turbulence near a wall. Dean R. Chapman and Gary D. Kuhn 265

Spatially amplifying modes of the Charney baroclinic-instability problem. R. T. Pierrehumbert 293

On the population of the metastable states behind unstable shock waves in ionizing argon. A. F. P. Houwing, T. J. McIntyre, P. A. Taloni and R. J. Sandeman 319

On the steady solutions of the problem of Rayleigh–Taylor instability. M. J. Tan 339

Laminar mixing and chaotic mixing in several cavity flows. W.-L. Chien, H. Rising and J. M. Ottino 355

Effective equations for flow in random porous media with a large number of scales. Jacob Rubinstein 379

Large-scale flow in turbulent convection: a mathematical model. L. N. Howard and R. Krishnamurti 385

Glancing interactions between single and intersecting oblique shock waves and a turbulent boundary layer. D. J. Mee, R. J. Stalker and J. L. Stollery 411

One-dimensional models for topographic Rossby waves in elongated basins on the f-plane. Thomas Stocker and Kolumban Hutter 435

On the formation of vortex streets behind stationary cylinders. George S. Triantafyllou, Michael S. Triantafyllou and C. Chryssostomidis 461

Transient cavities near boundaries. Part 1. Rigid boundary. J. R. Blake, B. B. Taib and G. Doherty 479

Streamwise vortex structure in plane mixing layers. L. P. Bernal and A. Roshko 499

Vortex shedding and lock-on of a circular cylinder in oscillatory flow. C. Barbi, D. P. Favier, C. A. Maresca and D. P. Telionis 527

Studies of the wall shear stress in a turbulent pulsating pipe flow. Zhuo-Xiong Mao and Thomas J. Hanratty 545

Review

Nonlinear Conical Flow, by B. M. Bulakh 565

Index to Volume 170 566